



Material Type	Schedule 4 Parameter	Test	Limit - mg/l
Standard NWSL Acceptance Soils Industrial Waste Streams Wastes Other Than Pre-Approved Wastes (See NWSL Acceptable Unacceptable Waste Summary for more information)	1,1 Dichloroethylene (Vinylidene Chloride)	VOC	1.4
	1,2 Dichlorobenzene (o-Dichlorobenzene)	VOC	20.0
	1,2 Dichloroethane (Ethylene Dichloride)	VOC	0.5
	1,4 Dichlorobenzene (p-Dichlorobenzene)	VOC	0.5
	Benzene	VOC	0.5
	Carbon Tetrachloride (tetrachloromethane)	VOC	0.5
	Chlorobenzen / Monochlorobenzene	VOC	8.0
	Chloroform	VOC	10.0
	Dichloromethane / Methylene Chloride	VOC	5.0
	MEK	VOC	200.0
	Tetrachloroethylene	VOC	3.0
	Trichloroethylene	VOC	5.0
	Vinyl Chloride	VOC	0.2
	Arsenic	Inorganic	2.5
	Barium	Inorganic	100.0
	Boron	Inorganic	500.0
	Cadmium	Inorganic	0.5
	Chromium	Inorganic	5.0
	Cyanide	Inorganic	20.0
	Fluoride	Inorganic	150.0
	Lead	Inorganic	5.0
	Mercury	Inorganic	0.1
	Nitrate + Nitrite (as nitrogen)	Inorganic	1000.0
	Selenium	Inorganic	1.0
	Silver	Inorganic	5.0
	Uranium	Inorganic	10.0
	Additional	NDMA	NDMA
Additional	Nitrioltriacetic Acid – NTA	NTA	40.0
Additional	Lindane	OC	0.4
Soils Railway Ties Telephone Poles Additional	PCBs (Bulk Analysis Only)	PCB or OC	1.0 ppm
Railway Ties* Telephone Poles* Additional	2,3,4,6 Tetrachlorophenol	SVOC	10.0
	2,4 Dinitrotolune	SVOC	0.13
	Benzo(a)pyrene*	SVOC	0.001
	Cresol*	SVOC	200.0
	m-Cresol*	SVOC	200.0
	o-Cresol*	SVOC	200.0
	p-Cresol*	SVOC	200.0
	Nitrobenzene	SVOC	2.0
	Pentachlorophenol*	SVOC	6.0
	Pyridine	SVOC	5.0
	Hexachloroethane	SVOC	3.0
Additional	Hexachlorobutadiene	SVOC	0.5
Additional	Dioxin & Furan	D/F	0.000015



Material Type	Schedule 4 Parameter	Test	Limit - mg/l
Material known/suspected to be contaminated with pesticides, herbicides, fungicides, insecticides Additional	Aldicarb	Carbamate	0.90
	Bendiocarb	Carbamate	4.0
	Carbaryl/Sevin/1-Naphthyl-N methyl carbamate	Carbamate	9.0
	Carbofuran	Carbamate	9.0
	Aldrin + Dieldrin	OC Pest	0.07
	Chlordane	OC Pest	0.70
	DDT (total isomers)	OC Pest	3.0
	Endrin	OC Pest	0.02
	Heptachlor+ Heptachlor epoxide	OC Pest	0.30
	Hexachlorobenzene	OC Pest	0.13
	Methoxychlor / 1,1,1-trichloro-2,2-bis(p-methoxyphenyl) ethane	OC Pest	90.0
	Metolachlor	OC Pest	5.0
	Toxaphene	OC Pest	0.5
	Diuron	OP HPLC	15.0
	Azinphos-methyl	OP Pest	2.00
	Chlorpyrifos	OP Pest	9.0
	Diazinon/Phosphordithioic acid, o,o-diethyl o-(2-isopropyl 6-methyl-4-pyrimidinyl)	OP Pest	2.0
	Diclofop-methyl	OP Pest	0.90
	Dimethoate	OP Pest	2.0
	Malathion	OP Pest	19.0
	Methyl Parathion	OP Pest	0.7
	Parathion	OP Pest	5.0
	Phorate	OP Pest	0.2
	Temephos	OP Pest	28.0
	Terbufos	OP Pest	0.1
	Triallate	OP Pest	23.0
	2,4,5-T	PA Herb	28.0
	2,4,5-TP/Silvex	PA Herb	1.0
	2,4-D / (2,4-dichlorophenoxy)acetic acid	PA Herb	10.0
	Bromoxynil	PA Herb	0.50
	Dicamba	PA Herb	12.0
	Dinoseb	PA Herb	1.0
	Picloram	PA Herb	19.0
	2,4,5-Trichlorophenol (2,4,5-TCP)	Semi Vol	400.0
	2,4,6-Trichlorophenol (2,4,6-TCP)	Semi Vol	0.5
	2,4-DCP (2,4 Dichlorophenol)	Semi Vol	90.0
	Metribuzin	Triazine	8.0
	Trifluralin	Triazine	4.5
	Atrazine +N-dealkylated Metabolites (Weedex)	Triazine	0.5
	Cyanazine	Triazine	1.00
Simazine	Triazine	1.0	
Diquat	Water Sol. Herb	7.0	
Paraquat	Water Sol. Herb	1.0	
Glyphosate	Water Sol. Herb	28.0	

Note* Values greater than or equal to limits are hazardous